ENCLOSURES

Storage of Fire Extinguishers and Safety Products









Troy (6 Kg / 9 Kg)

Elegant enclosures to house extinguishers for improving aesthetics and to protect against tampering and dust. Used in indoor and outdoor applications especially in areas with high footfall like malls, multiplexes and retail showrooms, airports, metro railway stations, banks and industrial sites.



Item Code	Specification	Colour
100009768	TROY – FE Cabinet (R/B) 9 Kg	Red/Black

FEATURES & SPECIFICATIONS

- Aesthetically designed enclosures for extinguishers made of polypropylene body
- · Double ergonomic handles integrated in the lid, with click-system and anti-vibration for security in the everyday use
- Inspection window made of polycarbonate, with O Ring Seal which offers strength and resistance against compression
- Provision for safety seal against tampering of extinguisher
- · Labyrinth system against water ingress, gives superior protection against dust and water
- · Extinguisher holding kit comprising PVC clamping spring, Nylon clamping ring available in two sizes
- Bayonet cap for clamping ring
- Multiple reinforced fixing points and easy to assemble without any tools
- Resin label
- Certified by TÜV RHEINLAND(7/2012)

Parameter	9 kg	
External dimensions (HxWxD in mm)	715x335x240	
Internal dimensions (HxWxD in mm)	645x244x204	
Weight (kg)	2.7	
Ring diameter (mm)	170/190	



Troy (CO₂*)

Enclosures to hold CO₂ 3 Kg / 4.5 Kg extinguishers. Used in indoor and outdoor applications especially in areas i.e. Filling Stations, Commercial Office Buildings and Industrial sites.



Item Code	Specification	Colour
100009769	TROY – FE Cabinet (R/B) CO2	Red/Black

^{*}For CO₂ Extinguishers with Neck Grip Handle.

FEATURES & SPECIFICATIONS

- Aesthetically designed enclosures for extinguishers made of polypropylene body
- Double ergonomic handles integrated in the lid, with click-system and anti-vibration for security in the everyday use
- Inspection window made of polycarbonate, with O Ring Seal which offers strength and resistance against compression
- Provision for safety seal against tampering of extinguisher
- · Labyrinth system against water ingress, gives superior protection against dust and water
- Extinguisher holding kit comprising PVC clamping spring, Nylon clamping ring available in two sizes
- Bayonet cap for clamping ring
- Multiple reinforced fixing points and easy to assemble without any tools
- · Resin label
- Certified by TÜV RHEINLAND(7/2012)

Parameter	CO ₂	
External dimensions (HxWxD in mm)	865x335x240	
Internal dimensions (HxWxD in mm)	795x244x204	
Weight (kg)	3.2	
Ring diameter (mm)	150/170	



Your Safety is our Responsibility

Our Fire Protection Brands



GILPRO





Unit No.102, 1st Floor, Akruti SMC, LBS Marg, Khopat. Thane - 400601. India Works: 1302-1306 GIDC Ind. Estate, Halol, Gujarat 389 350, India Customer Care Contact: Toll Free 1800 22 3525, 1800 209 3040, 022 6780 3600 Email: FireProducts.india@gunnebo.com, info@gunnebo.in I Website: www.gunnebo.in Customer Care Lines are open between 9am to 6pm, Mon. to Sat.

